

Załącznik nr 2 do Ogłoszenia o zamówieniu - Formularz cenowy wraz ze szczegółowym opisem przedmiotu zamówienia

Nr Zadania	Lp.	Nazwa i opis przedmiotu zamówienia	Rozmiar opakowania	Ilość opakowań	Link lub nr katalogowy produktu	Projekt	Cena jednostkowa netto PLN	Wartość netto PLN (cena jedn. netto PLN x ilość opakowań)
2	1	SM1 to M9 x 0.5 Lens Cell Adapter	szt.	1	S1TM09	2018/29/B/ST5/00819		
2	2	f = 6.24 mm, NA = 0.40, Mounted Rochester Aspheric Lens, Uncoated	szt.	1	A110TM	2018/29/B/ST5/00819		
2	3	K-Cube™ Laser Diode Driver (Power Supply Sold Separately)	szt.	1	KLD101	2018/29/B/ST5/00819		
2	4	T-Cube TEC Controller, 4W, Power Supply Included	szt.	1	TTC001	2018/29/B/ST5/00819		
2	5	Adapter Plate for KCH Series Hubs and 60 mm Wide T-Cubes	szt.	1	KAP101	2018/29/B/ST5/00819		
2	6	30 mm Cage Plate Collimation Mount for Ø5.6 mm TO Can Laser Diodes and M9 x 0.5-Threaded Aspheric Lenses, Metric Post Tap	szt.	1	LDH56-P2/M	2018/29/B/ST5/00819		
2	7	Can Opener for Laser Diodes, LEDs, and Photodiodes	szt.	1	WR1	2018/29/B/ST5/00819		
2	8	405 nm, 40 mW, Ø5.6 mm, B Pin Code Laser Diode	szt.	1	DL5146-101S	2018/29/B/ST5/00819		
2	9	405 nm, 20 mW, Ø5.6 mm, B Pin Code, Laser Diode	szt.	1	L405P20	2018/29/B/ST5/00819		
2	10	Single Mode Fiber Launch with Variable V-Groove Clamp, Metric	szt.	2	MBT610D/M	2018/29/B/ST5/00819		
2	11	20X Olympus Plan Achromat Objective, 0.4 NA, 1.2 mm WD	szt.	1	RMS20X	2018/29/B/ST5/00819		
2	12	40X Olympus Plan Achromat Objective, 0.65 NA, 0.6 mm WD	szt.	1	RMS40X	2018/29/B/ST5/00819		
2	13	Power and Energy Meter Interface with USB Operation	szt.	1	PM100USB	2018/29/B/ST5/00819		
2	14	Standard Photodiode Power Sensor, Si, 200 - 1100 nm, 50 mW	szt.	1	S120VC	2018/29/B/ST5/00819		
2	15	Optical Chopper System with MC1F10HP 10/100 Slot (36Å°) Chopper Blade, 230 VAC Power Cord	szt.	1	MC2000B-EC	2018/29/B/ST5/00819		

2	16	fi 1" Mounted Precision Pinhole, 10 Å± 1 Åµm Pinhole Diameter	szt.	1	P10D	2018/29/B/ST5/00819		
2	17	fi 1" Mounted Precision Pinhole, 20 Å± 2 Åµm Pinhole Diameter	szt.	1	P20D	2018/29/B/ST5/00819		
2	18	30 mm Cage System Iris, fi 20.0 mm Maximum Aperture	szt.	4	CP20S	2018/29/B/ST5/00819		
2	19	SM1-Threaded Manual Beam Shutter, fi 7.2 mm Clear Aperture	szt.	2	SM1SH1	2018/29/B/ST5/00819		
2	20	Optical Beam Shutter with 10' Long Cable, Ø1/2" Aperture, M4 Taps	szt.	2	SH05/M	2018/29/B/ST5/00819		
2	21	K-Cube Solenoid Controller (Power Supply Not Included)	szt.	2	KSC101	2018/29/B/ST5/00819		
2	22	fi 1" N-BK7 Plano-/Bi- Convex/Concave Lens Kit, Uncoated, 35 pc	szt.	2	LSB04	2018/29/B/ST5/00819		
2	23	Box with 10 Absorptive fi 25 mm ND Filters, SM1-Mounted, 400 - 650 nm	szt.	1	NEK01	2018/29/B/ST5/00819		
2	24	fi 1" Protected Silver Mirror, 10 Pack	szt.	2	PF10-03-P01-10	2018/29/B/ST5/00819		
2	25	SM1-Threaded 30 mm Cage Plate, 0.35" Thick, 2 Retaining Rings, M4 Tap	szt.	20	CP33/M	2018/29/B/ST5/00819		
2	26	SM1-Threaded 30 mm Cage Plate, 0.50" Thick, 2 Retaining Rings, M4 Tap	szt.	10	CP33T/M	2018/29/B/ST5/00819		
2	27	30 mm Cage System Alignment Plate with fi 0.9 mm Hole	szt.	5	CPA1	2018/29/B/ST5/00819		
2	28	Cage Plate Stops for ER Rods, 4 Pack	szt.	4	ERCPS	2018/29/B/ST5/00819		
2	29	Drop-In 30 mm Cage Mount, Flexure Lock, SM1 Threaded, 0.40" Thick, 2 Retaining Rings	szt.	5	DCP1	2018/29/B/ST5/00819		
2	30	30 mm Removable Segment Cage Plate, 0.35" Thick, Metric	szt.	4	CP09/M	2018/29/B/ST5/00819		
2	31	30 mm Removable Segment Cage Plate, 0.50" Thick, Metric	szt.	4	CP09T/M	2018/29/B/ST5/00819		
2	32	FiberPort Adapter for 30 mm Cage System, Enhanced Clamping, Metric	szt.	1	CP08FP/M	2018/29/B/ST5/00819		
2	33	30 mm Cage System U-Bench, Metric	szt.	1	CB1/M	2018/29/B/ST5/00819		
2	34	30 mm Cage Cube	szt.	10	C4W	2018/29/B/ST5/00819		

2	35	30 mm Cage Cube, fi 6 mm Through Holes	szt.	10	C6W	2018/29/B/ST5/00819		
2	36	30 mm Cage Cube Connector for C4W and C6W Series Cubes	szt.	6	C4W-CC	2018/29/B/ST5/00819		
2	37	30-mm-Cage-Compatible Rectangular Filter Mount	szt.	2	FFM1	2018/29/B/ST5/00819		
2	38	fi 1" Optic Mount with SM1-Threaded Bore for 30 mm Cage Cube, Mounts Optics up to 6.3 mm Thick	szt.	2	B5CT2	2018/29/B/ST5/00819		
2	39	Blank Cover Plate, Metric	szt.	4	B1C/M	2018/29/B/ST5/00819		
2	40	1" x 1" Hollow Roof Prism Mirror, Protected Silver	szt.	1	HRS1015-P01	2018/29/B/ST5/00819		
2	41	30 mm Cage Filter Wheel for Six fi 1" (fi 25 mm) Filters, M6 and M4 Taps	szt.	1	CFW6/M	2018/29/B/ST5/00819		
2	42	Cage Assembly Rod, 8" Long, fi 6 mm, 4 Pack	szt.	8	ER8-P4	2018/29/B/ST5/00819		
2	43	Cage Assembly Rod, 6" Long, fi 6 mm, 4 Pack	szt.	8	ER6-P4	2018/29/B/ST5/00819		
2	44	Cage Assembly Rod, 4" Long, fi 6 mm, 4 Pack	szt.	8	ER4-P4	2018/29/B/ST5/00819		
2	45	Cage Assembly Rod, 3" Long, fi 6 mm, 4 Pack	szt.	8	ER3-P4	2018/29/B/ST5/00819		
2	46	Cage Assembly Rod, 2" Long, fi 6 mm, 4 Pack	szt.	8	ER2-P4	2018/29/B/ST5/00819		
2	47	Cage Assembly Rod, 1.5" Long, fi 6 mm, 4 Pack	szt.	8	ER1.5-P4	2018/29/B/ST5/00819		
2	48	Cage Assembly Rod, 1" Long, fi 6 mm, 4 Pack	szt.	4	ER1-P4	2018/29/B/ST5/00819		
2	49	Cage Assembly Rod, 1/2" Long, fi 6 mm, 4 Pack	szt.	4	ER05-P4	2018/29/B/ST5/00819		
2	50	Cage Assembly Rod, 10" Long, fi 6 mm	szt.	10	ER10	2018/29/B/ST5/00819		
2	51	Vertical Cage System Mounting Plate	szt.	2	CPVM	2018/29/B/ST5/00819		
2	52	Alignment Plate for fi 1" Fixed Optic Mounts	szt.	2	LMR1AP	2018/29/B/ST5/00819		
2	53	SM1 Series Alignment Disk	szt.	2	SM1A7	2018/29/B/ST5/00819		

2	54	VIS/IR Detector Card, 400 - 640 nm, 800 - 1700 nm	szt.	1	VRC2	2018/29/B/ST5/0081 9		
2	55	3500 µL Enhanced Chemical Resistance Fluorescence Cuvette, 2 Pack	szt.	4	CV10Q3500F-E	2018/29/B/ST5/0081 9		
2	56	Right-Angle Mounting Plate, M6 x 1.0 Compatible	szt.	2	AP90/M	2018/29/B/ST5/0081 9		
2	57	2" Square UG11 Colored Glass UV-Passing Filter, 275 - 375 nm	szt.	1	FGUV11S	2018/29/B/ST5/0081 9		
2	58	2" Square RG1000 Colored Glass Filter, 1000 nm Longpass	szt.	1	FGL1000S	2018/29/B/ST5/0081 9		
2	59	Aluminum Breadboard, 450 mm x 750 mm x 12.7 mm, M6 Tap	szt.	2	MB4575/M	2018/29/B/ST5/0081 9		
2	60	Externally SM1-Threaded End Cap	szt.	2	SM1CP2	2018/29/B/ST5/0081 9		
2	61	M6 Cap Screw and Hardware Kit	szt.	1	HW-KIT2/M	2018/29/B/ST5/0081 9		
							Suma końcowa netto:	
							Suma końcowa brutto:	